


# RISPERIDONE

Antipsychotic



## Your medication

# Risperidone



## What is this leaflet for?

This leaflet is to help you understand more about your medicine.

Your medicine could look different to the pictures on this leaflet.



Risperidone is also called Risperdal.

Risperidone is available as tablets and injection.




## What is Risperidone used for?

Risperidone is commonly used to treat psychosis and mania.



It is also used in people having Autism and difficult behaviours.

# Risperidone



## What will Risperidone do?

Risperidone should help you feel calm and relaxed.

It could take some time for Risperidone to have its full effect.



## What are the side effects of Risperidone?

Side effects are the unwanted effects of any medicine on the body.

Not everyone taking a medicine will get side effects.

Many side effects will go away with time. But some side effects may last for longer.

Some side effects can be serious.

You should tell your doctor if you have any side effect.

# Risperidone



## What are the side effects of Risperidone?

- feeling dizzy
- feeling restless or cannot sit still
- stiffness in arms or legs
- feeling sleepy or sluggish
- having sudden stiffness in jaw
- increase in weight
- changes in blood sugar level
- changes in cholesterol levels
- changes in heart function
- rash or feeling itchy
- in women, it can effect periods.



## You will need to have the following tests done as part of the metabolic syndrome monitoring:

Tracing of your heart - ECG


Blood pressure

Weight

Waist circumference

Blood tests

# Risperidone



## How and when to take Risperidone?

The label on your Risperidone packet should tell you when and how much you should take.



## What else can help?

Eating healthy

Doing some exercises.



Participating in activities that you like.



## If you forget to take the tablet


Tell your carer or doctor straight away.



## When to stop taking Risperidone?

You should carry on taking your medicine unless your doctor asks you to stop.

# Risperidone



**Some medicines do not work well together.**

You should tell your doctor about any other medicines you are taking.



**What should not be done while taking Risperidone?**

Drinking alcohol when on Risperidone could make you feel drowsy.



**Doctor's comments**

# Help and support



Your doctor: .....  
Telephone Number: .....

Your Psychiatrist: .....  
Telephone Number: .....



Your Community Nurse: .....  
Telephone Number: .....

Other professionals involved:

Other resources:

**Patient  UK**  
The same health information as provided  
by GPs to patients during consultations

[www.patient.co.uk](http://www.patient.co.uk)

**NHS** Can be reached on  
**0845**  
**Direct 4647**



Leaflet produced and issued by Leicestershire Partnership NHS Trust and the Royal College of Psychiatrists' Faculty of the Psychiatry of Learning Disability. [www.leicspt.nhs.uk](http://www.leicspt.nhs.uk) - [www.rcpsych.ac.uk](http://www.rcpsych.ac.uk)

© August 2010. The Royal College of Psychiatrists is a registered charity: 228636 (England and Wales) and SC038386 (Scotland).

Pictures used from Change Picture Bank and Somerset Symbols Project

Thanks to G. Unwin and S. Deb from Birmingham University for use of the content of their medication leaflets.

**Please note this is not a manufacturer's information leaflet**